




Learn more: mbgsec.com
Twitter: @mbrg0

All You Need Is Guest

Michael Bargury @ Zenity
t2'24



DEMO



My Apps

Apps

This is unavailable due to your account permissions and company's settings

Apps dashboard

Apps

Apps

There are no apps to show.

Add apps

Create collection

Customize view

Settings

Zenity Demo

Sign out

H

Hacker5

hacker5@pwntoso.onmicroso...

View account

Switch organization

Sign in with a different account



powerpwn - Credentials

- [All Resources](#)
- [Credentials](#)
- [Automations](#)
- [Applications](#)
- [Connectors](#)

Connector	Connection	Created by			
 shared_azurefile	jamieredingcustomerdata.file.core.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azureblob	https://enterpriseip.blob.core.windows.net/patentarchive	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azuretables	jamieredingcustomerdata.table.core.windows.net/customers	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_azurequeues	Azure Queues	jamier@zenitydemo.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisefinancial financialreports.database.windows.net	hi@pwntoso.onmicrosoft.com	Playground	Raw	Dump
 shared_sql	enterprisecustomers customercareinsights.database.windows.net	jamier@zenitydemo.onmicrosoft.com	Playground		ump




```
[{"@odata.etag": "", "ItemInternalId": "7eb41684-4b64-4f39-9eab-90fbe30ba62c", "CustomerID": 34553, "FirstName": "Jamie", "LastName": "Reding", "Email": "jamier@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-1111"}, {"@odata.etag": "", "ItemInternalId": "566a2e62-1c95-4e49-bdc6-c141023d66ac", "CustomerID": 98256, "FirstName": "Christa", "LastName": "Geller", "Email": "christag@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-2222"}, {"@odata.etag": "", "ItemInternalId": "43288280-ae24-450e-9feb-f6605d9c1ec2", "CustomerID": 76234, "FirstName": "David", "LastName": "Brenner", "Email": "davidb@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-3333"}, {"@odata.etag": "", "ItemInternalId": "52f7ad4a-9159-486e-885c-69c78fa59138", "CustomerID": 43256, "FirstName": "Laura", "LastName": "Miller", "Email": "lauram@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-4444"}, {"@odata.etag": "", "ItemInternalId": "e53da160-f087-4e08-b3fb-eb16283781c5", "CustomerID": 67322, "FirstName": "Robert", "LastName": "Thompson", "Email": "robertt@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-5555"}, {"@odata.etag": "", "ItemInternalId": "f6ce0c32-b846-4c4a-ad61-2f3bf74d0d06", "CustomerID": 78654, "FirstName": "Amanda", "LastName": "Smith", "Email": "amandas@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-6666"}, {"@odata.etag": "", "ItemInternalId": "e998798e-2e21-408f-b3e6-2ff7fde41510", "CustomerID": 89322, "FirstName": "John", "LastName": "Davis", "Email": "johnd@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-7777"}, {"@odata.etag": "", "ItemInternalId": "9219f091-1238-4cf8-b9a7-f4b7e3f3a958", "CustomerID": 11245, "FirstName": "Emily", "LastName": "Harris", "Email": "emilyh@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-8888"}, {"@odata.etag": "", "ItemInternalId": "8ba98fcc-b7f8-401f-abf5-842065f37d56", "CustomerID": 55677, "FirstName": "Michael", "LastName": "Sanders", "Email": "michaels@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-9999"}, {"@odata.etag": "", "ItemInternalId": "425f5a25-0f8d-4295-a3bf-7ab0388f8d7a", "CustomerID": 68984, "FirstName": "Sophie", "LastName": "Carter", "Email": "sophiee@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-0000"}, {"@odata.etag": "", "ItemInternalId": "07c0f4f1-1b45-40d4-ba05-9a1a6c15768f", "CustomerID": 45779, "FirstName": "Stephen", "LastName": "Williams", "Email": "stephenw@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-1234"}, {"@odata.etag": "", "ItemInternalId": "e270c995-1132-4900-afe1-f745fdb38452", "CustomerID": 23456, "FirstName": "Olivia", "LastName": "Lee", "Email": "olivial@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-4321"}, {"@odata.etag": "", "ItemInternalId": "6bda1a1f-b705-4a3d-a392-856c9c286c73", "CustomerID": 64784, "FirstName": "Patricia", "LastName": "Foster", "Email": "patriciaf@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-9876"}, {"@odata.etag": "", "ItemInternalId": "9dd9e288-b96d-45de-9b3d-5bd7572e8cc4", "CustomerID": 34598, "FirstName": "Daniel", "LastName": "Brown", "Email": "danielb@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-6789"}, {"@odata.etag": "", "ItemInternalId": "b6884c5e-3c43-49ca-b341-aef0cf0f5eff", "CustomerID": 79000, "FirstName": "Elizabeth", "LastName": "Perez", "Email": "elizabethp@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-7890"}, {"@odata.etag": "", "ItemInternalId": "9a2650d6-693a-45e8-b80c-4995a9d054af", "CustomerID": 12345, "FirstName": "Jason", "LastName": "Mitchell", "Email": "jasonm@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-0987"}, {"@odata.etag": "", "ItemInternalId": "bc932b1b-5ff2-4c8d-a28f-6ac86eed4529", "CustomerID": 74321, "FirstName": "Sarah", "LastName": "Gonzalez", "Email": "sarahg@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-5678"}, {"@odata.etag": "", "ItemInternalId": "12857b5e-8cdc-49ee-961d-2b47adb1f6a0", "CustomerID": 97654, "FirstName": "Thomas", "LastName": "Martin", "Email": "thomasm@zenitydemo.OnMicrosoft.com", "SocialSecurityNumber": "209-97-0765"}]
```



Hi there👋

- CTO and Co-founder @ Zenity
- OWASP LCNC Top 10 project lead
- Dark Reading columnist
- BlackHat, Defcon, BSides, OWASP
- Hiring top researchers, engs & pms!



@mbrg0



github.com/mbrg



darkreading.com/author/michael-bargury



Why invite guests in?

And the promise of deny-by-default access

How can two parties collaborate over a bunch of files?

F1000
enterprise


	POC Kickoff
	NDA
	Success Criteria
	Order Form
	POC Agenda

Small
vendor

Option 1: just email sensitive files around



Option 2: trust a rando on the internet



Option 2: trust a rando IRL




Source: deaddrops.com

Option 3: invite them in



F1000 tenant

Option 3: invite them in



*“external users can “bring their own identities.”
... and you manage access to your apps ... to
keep your resources protected.”*



F1000 tenant

Safe guest access must be:

(a) Easy for vendors to onboard

Safe guest access must be:


(a) Easy for vendors to onboard

(b) Easy for IT/security to control

Safe guest access must be:


- (a) Easy for vendors to onboard**
- (b) Easy for IT/security to control**

**(a) It's
super easy
to get a
guest
account**



(a) It's super easy to get a guest account

Source: @_dirkjan at
BHUSA 2022



(a) It's super easy to get a guest account

Source: @_dirkjan at
BHUSA 2022
* Vulns were fixed.

Perhaps too easy?



Hijacking invites

- Query using AAD Graph:

[https://graph.windows.net/myorganization/users?api-version=1.61-internal&\\$filter=userState eq 'PendingAcceptance'&\\$select=userPrincipalName,inviteTicket,userType,invitedAsMail](https://graph.windows.net/myorganization/users?api-version=1.61-internal&$filter=userState eq 'PendingAcceptance'&$select=userPrincipalName,inviteTicket,userType,invitedAsMail)

```
1  [
2  ... "odata.metadata": "https://graph.windows.net/myorganization/$metadata#directoryObjects",
3  ... "value": [
4  ... {
5  ...   "odata.type": "Microsoft.DirectoryServices.User",
6  ...   "userPrincipalName": "guest_outsidersecurity.nl#EXT#@iminyourcloud.onmicrosoft.com",
7  ...   "inviteTicket": [
8  ...     {
9  ...       "type": "Invite",
10 ...       "ticket": "3557db4d-b514-4602-aa88-9c23f82ca61c"
11 ...     }
12 ...   ],
13 ...   "userType": "Guest",
14 ...   "invitedAsMail": "guest@outsidersecurity.nl"
15 ... }
16 ... ]
17 ]
```

(a) It's super easy to get a guest account

Source: @_dirkjan at
BHUSA 2022
* Vulns were fixed.

Perhaps too easy?



TL;DR

- Every user could query for non-redeemed invites.
- Could redeem invite without any validation, link to arbitrary external account.
- No way for admins to find out which account it was actually linked to.

**(a) It's
super easy
to get a
guest
account**

Perhaps too easy?



**Backdooring and hijacking Azure AD accounts by abusing
external identities**

Dirk-jan Mollema / @_dirkjan


Safe guest access must be:

- (a) Easy for vendors to onboard**
- (b) Easy for IT/security to control**

(b) Understanding how control works



Partners, vendors, suppliers,
other collaborators




F1000 tenant

(b) Understanding how control works



(b) Control guests like employees



Enterprise controls to ensure secure access: MFA, RBAC, CA, device attestation, threat monitoring ...

(b) Applying security controls to guests

Need guest access → Require security controls

(b) Applying security controls to guests

Need guest access → Require security controls

Security controls → Require AAD account

(b) Applying security controls to guests

Need guest access → Require security controls

Security controls → Require AAD account

AAD account → Grants full access

Q.E.D. ...?

(b) Applying security controls to guests

Need guest access → Require security controls

Security controls → Require AAD account

AAD account → Grants full deny-by-default access

EntraID guest recap

- It's super easy to get a guest account
- AAD security controls apply
- Access is deny-by-default

Guest accounts in practice

The real implication of guests

...

Microsoft Teams

Activity

Chat

Teams

Calendar

Calls

Files

...

Apps

Help

Search

...

Teams

Your teams

Vo

Vendor onboarding

Vo

Vendor onboarding

Members

Pending Requests

Channels

Settings

Analytics

Apps

Tags

This team has guests.

Search for members

+

Add member

▼ Owners (1)

Name	Title	Location	Tags	Role
Greg Winston	VP of IT			Owner

► Members and guests (2)

Microsoft Teams

Search

Activity

Chat

Teams

Calendar

Calls

Files

...

Apps

Help

Teams

Your teams

Vo

Vendor onboarding

Vo

Vendor onboarding

Vendor onboarding

Add members to Vendor onboarding

Start typing a name, distribution list, or security group to add to your team. You can also add people outside your organization as guests by typing their email addresses.

Start typing a name or group

Add

Close

Add member

Tags

Role

Owner

Activity

Chat

Teams

Calendar

Calls

Files

Apps

Help

Microsoft Teams

Search

Teams

Your teams

Vo

Vendor onboarding

Vo

Vendor onboarding

Add members to Vendor onboarding

Start typing a name, distribution list, or security group to add to your team. You can also add people outside your organization as guests by typing their email addresses.

hacker5@pwntoso.onmicrosoft.com

Add

Add **hacker5@pwntoso.onmicrosoft.com** as a guest

Close

Add member

Tags

Role

Owner

Microsoft Teams

Search

Activity

Chat

Teams

Calendar

Calls

Files

...

Apps

Help

Teams

Your teams

Vo

Vendor onboarding

Vo

Vendor onboarding

Vendor onboarding

Start typing a name or group

Add

H

hacker5 (Guest)

This person has been added, but it might take a while for them to show up in your member list.

X

Close

Add member

Tags

Role

Owner



Sign in

hacker5@pwntoso.onmicrosoft.com

No account? [Create one!](#)


[Can't access your account?](#)

Back

Next



Sign-in options





hacker5@pwntoso.onmicrosoft.com

Permissions requested by:

Zenity Demo

zenitydemo.onmicrosoft.com

By accepting, you allow this organization to:

- ✓ Receive your profile data
- ✓ Collect and log your activity
- ✓ Use your profile data and activity data

You should only accept if you trust Zenity Demo. **Zenity Demo has not provided links to their terms for you to review.** You can update these permissions at <https://myaccount.microsoft.com/organizations>.
[Learn more](#)

This resource is not shared by Microsoft.

Cancel

Accept



Apps

This is unavailable due to your account permissions and company's settings

Apps dashboard

Apps

Apps

There are no apps to show.

Add apps

Create collection

Customize view

Settings

Zenity Demo

Sign out

H

Hacker5

hacker5@pwntoso.onmicroso...

View account

Switch organization

Sign in with a different account



Everything works as expected ?

Everything works as expected ? 

Guest exploitation state of the art

Guest exploitation state of the art

1. Phishing via Teams

Guest exploitation 1. Phishing via Teams state of the art

Research Endpoint security Microsoft Defender XDR Threat actors · 8 min read

Malware distributor Storm-0324 facilitates ransomware access

By [Microsoft Threat Intelligence](#)

<https://www.microsoft.com/en-us/security/blog/2023/09/12/malware-distributor-storm-0324-facilitates-ransomware-access/>

New Teams-based phishing activity

In July 2023, Storm-0324 began using phishing lures sent over Teams with malicious links leading to a malicious SharePoint-hosted file. For this activity, Storm-0324 most likely relies on a publicly available tool called TeamsPhisher. TeamsPhisher is a Python-language program that enables Teams tenant users to attach files to messages sent to external tenants, which can be abused by attackers to deliver phishing attachments. These Teams-based phishing lures by threat actors are identified by the Teams platform as "EXTERNAL" users if [external access is enabled](#) in the organization.

Microsoft takes these phishing campaigns very seriously and has rolled out several improvements to better defend against these threats. In accordance with Microsoft policies, we have suspended identified accounts and tenants associated with inauthentic or fraudulent behavior. We have also rolled out enhancements to the [Accept/Block experience](#) in one-on-one chats within Teams, to emphasize the externality of a user and their email address so Teams users can better exercise caution by not interacting with unknown or malicious senders. We rolled out new restrictions on the creation of domains within tenants and improved notifications to tenant admins when new domains are created within their tenant. In addition to these specific enhancements, our development teams will continue to introduce additional preventative and detective measures to further protect customers from phishing attacks.

Guest exploitation 1. Phishing via Teams state of the art

Research Endpoint security Microsoft Defender XDR Threat actors · 8 min read

Malware distributor Storm-0324 facilitates ransomware access

By [Microsoft Threat Intelligence](#)


<https://www.microsoft.com/en-us/security/blog/2023/09/12/malware-distributor-storm-0324-facilitates-ransomware-access/>

New Teams-based phishing activity


In July 2023, Storm-0324 began using phishing lures sent over Teams with malicious links leading to a malicious SharePoint-hosted file. For this activity, Storm-0324 most likely relies on a publicly available tool called TeamsPhisher. TeamsPhisher is a Python-language program that enables Teams tenant users to attach files to messages sent to external tenants, which can be abused by attackers to deliver phishing attachments. These Teams-based phishing lures by threat actors are identified by the Teams platform as "EXTERNAL" users if [external access is enabled](#) in the organization.

Microsoft takes these phishing campaigns very seriously and has rolled out several improvements to better defend against these threats. In accordance with Microsoft policies, we have suspended identified accounts and tenants associated with inauthentic or fraudulent behavior. We have also rolled out enhancements to the [Accept/Block experience](#) in one-on-one chats within Teams, to emphasize the externality of a user and their email address so Teams users can better exercise caution by not interacting with unknown or malicious senders. We rolled out new restrictions on the creation of domains within tenants and improved notifications to tenant admins when new domains are created within their tenant. In addition to these specific enhancements, our development teams will continue to introduce additional preventative and detective measures to further protect customers from phishing attacks.

Guest exploitation 1. Phishing via Teams state of the art



Guest exploitation 1. Phishing via Teams state of the art



Guest exploitation state of the art

```
AADInternals 0.9.0
PS @mbrg0\BHUSA2023\All-You-Need-Is-Guest> $results.Users | Select-Object displayName,userPrincipalName

displayName      userPrincipalName
-----
Amy Alberts      amya@zenitydemo.onmicrosoft.com
Jamie Reding     jamier@zenitydemo.onmicrosoft.com
Hi               hi_pwntoso.onmicrosoft.com#EXT#@zenitydemo.onmicrosoft.com
Julian Isla      juliani@zenitydemo.onmicrosoft.com
Eric Gruber      ericg@zenitydemo.onmicrosoft.com
Karen Berg       karenb@zenitydemo.onmicrosoft.com
Greg Winston     gregw@zenitydemo.onmicrosoft.com
Hacker5          hacker5_pwntoso.onmicrosoft.com#EXT#@zenitydemo.onmicrosoft.com
Alan Steiner     alans@zenitydemo.onmicrosoft.com
Sven Mortensen   svenm@zenitydemo.onmicrosoft.com
Carlos Grilo     carlosg@zenitydemo.onmicrosoft.com
Alicia Thomber   aliciat@zenitydemo.onmicrosoft.com
Anne Weiler      anew@zenitydemo.onmicrosoft.com
Sanjay Shah      sanjays@zenitydemo.onmicrosoft.com
David So         davids@zenitydemo.onmicrosoft.com
Dan Jump         danj@zenitydemo.onmicrosoft.com
Christa Geller   christag@zenitydemo.onmicrosoft.com
William Contoso  williamc@zenitydemo.onmicrosoft.com
Hacker           hacker_pwntoso.onmicrosoft.com#EXT#@zenitydemo.onmicrosoft.com
Jeff Hay         jeffh@zenitydemo.onmicrosoft.com
Diane Prescott   dianep@zenitydemo.onmicrosoft.com
Allie Bellew     allieb@zenitydemo.onmicrosoft.com
```

1. Phishing via Teams
2. Directory recon

@DrAzureAD at aadinternals.com/post/quest_for_guest/

**State of the art ends here.
But hackers want more!**

Can we access company data? Edit or delete data? Perform operations?

<https://make.powerapps.com/environments/Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43/connections>




Go have an early lunch

Welcome to Power Apps

Choose your country/region

United States


Microsoft will send you promotions and offers. You can unsubscribe at any time.



Get started

By clicking "Get started", you agree to these [terms and conditions](#) and allow Power Apps to get your user and tenant details.
[Microsoft Privacy Statement](#)





Sorry, there's been a disconnect

The environment 'Default-fc993b0f-345b-4d01-9f67-9ac4a140dd43' could not be found in the tenant '420983fd-32b0-4abd-89e0-c3ef3236fc73'.

[Go to home page](#)



- Home
- Create
- Learn
- Apps
- Tables
- Flows
- Solutions
- More
- Power Platform

Welcome, Hacker5!

Create apps that connect to data, and work across web and mobile.

Ways to create an app

Start with data

Create a table, pick an existing one, or even import from Excel to create an app.

Start with a page design

Select from a list of different designs and layouts to get your app going.

Start with an app template

Select from a list of fully-functional business app templates. Use as-is or customize to suit your needs.

Your apps

	Name		Modified ↓	Owner	Type
	Package Management View	⋮	1 month ago	SYSTEM	Model-driven
	Solution Health Hub	⋮	1 year ago	SYSTEM	Model-driven
See more apps →					

Learning for every level [See all](#)

Get started with Power Apps

Beginner 51 min

Author a basic formula to change properties in a canvas app

Beginner 42 min

Work with external data in a Power Apps canvas app

Intermediate 1 hr 4 min

Manage and share apps in Power Apps

Beginner



Power Apps

Search

Environment
Pwntoso (default)

Try the new Power Apps

Home

Create

Learn

Apps

Tables

Flows

Solutions

More

Power Platform

Start with data

Create a table, pick an existing one, or even import from Excel to create an app.

Start with a page design

Select from a list of different designs and layouts to get your app going.

Start with an app template

Select from a list of fully-functional business app templates. Use as-is or customize to suit your needs.

Name	Modified	Owner	Type
Package Management View	1 month ago	SYSTEM	Model-driven
Solution Health Hub	1 year ago	SYSTEM	Model-driven

See more apps

Get started with Power Apps

Beginner

51 min

Author a basic formula to change properties in a canvas app

Beginner

42 min

Work with external data in a Power Apps canvas app

Intermediate

1 hr 4 min

Manage and share apps in Power Apps

Beginner

Power Apps

Search

Environment
Pwntoso (default)

Sign out

Home

Create

Learn

Apps

Tables

Flows

Solutions

More

Power Platform

Ways to create an app

Start with data

Create a table, pick an existing one, or even import from Excel to create an app.

Start with a page design

Select from a list of different designs and layouts to get your app going.

Start with an app template

Select from a list of fully-functional business app templates. Use as-is or customize to suit your needs.

Your apps

Name	Modified	Owner	Type
Package Management View	1 month ago	SYSTEM	Model-driven
Solution Health Hub	1 year ago	SYSTEM	Model-driven

See more apps

Learning for every level

See all

Get started with Power Apps

Beginner

51 min

Author a basic formula to change properties in a canvas app

Beginner

42 min

Work with external data in a Power Apps canvas app

Intermediate

1 hr 4 min

Manage and share apps in Power Apps

Beginner

Power Apps

Search

Environment
Pwntoso (default)

Try the new Power Apps

Home

Create

Learn

Apps

Tables

Flows

Solutions

More

Power Platform

Ways to create an app

Start with data

Start with an app template

Your apps

Get started with Power Apps

Manage and share apps in Power Apps

Settings

Directories

Directories

Current directory

All Directories

Name		Domain	Directory ID
Pwntoso	Current	pwntoso.onmicrosoft.com	420983fd-32b0-4ab...
Zenity Demo	Switch	zenitydemo.onmicrosoft.com	fc993b0f-345b-4d01...

Save Discard



- Home
- Create
- Learn
- Apps
- Tables
- Flows
- Solutions

+ New connection

Search

Connections in Zenity Demo (default)

Canvas

Name		Modified		Status
	https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage	...	11 min ago	Connected
	jamieredincustomerdata.file.core.windows.net Azure File Storage	...	10 min ago	Connected
	Azure Queues Azure Queues	...	3 wk ago	Connected
	jamieredincustomerdata.table.core.windows.net/cust... Azure Table Storage	...	14 min ago	Connected
	enterprisefinancial financialreports.database.windows.n... SQL Server	...	20 min ago	Connected
	enterprisecustomers customercareinsights.database.wi... SQL Server	...	2 wk ago	Connected



Power Apps

Search

Environment
Zenity Demo (default)

Home

+

Create

Learn

Apps

Tables

Flows

Solutions

Connections

More

Power Platform

Ask a virtual agent

+ New connection

 Edit Share Delete Details

Connections in Zenity Demo (default)

Canvas

	Name		Modified	Status
	https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage		13 min ago	Connected
	jamiereddingcustomerdata.file.core.windows.net Azure File Storage		12 min ago	Connected
	Azure Queues Azure Queues		3 wk ago	Connected
	jamiereddingcustomerdata.table.core.windows.net/cust... Azure Table Storage		16 min ago	Connected
	enterprisefinancial financialreports.database.windows.n... SQL Server		22 min ago	Connected
	enterprisecustomers customercareinsights.database.wi... SQL Server		2 wk ago	Connected

Power Apps

Search

Environment
Zenity Demo (default)

Home

Create

Learn

Apps

Tables

Flows

Solutions

Connections

More

Power Platform

+ New connection

Edit

Share

Delete

Details

Connections in Zenity Demo (default)

Canvas

Name	Modified	Status
 https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage	14 min ago	Connected
 jamieredincustomerdata.file.core.windows.net Azure File Storage	13 min ago	Connected
 Azure Queues Azure Queues		Connected
 jamieredincustomerdata.table.core.windows.net/cust... Azure Table Storage		Connected
 enterprisefinancial financialreports.database.windows.n... SQL Server	23 min ago	Connected
 enterprisecustomers customercareinsights.database.wi... SQL Server	2 wk ago	Connected

Edit

Share

Delete

Details



Power Apps

Search

Environment
Zenity Demo (default)

Home

Create

Learn

Apps

Tables

Flows

Solutions

Connections

More

Power Platform

Share jamiereddingcustomerdata.file.core.windows.net

Enter names, email addresses, user groups, service principal names, or service principal app id

Shared with

Name	Email	Permission ?
Shared with org		Can use
Jamie Reding	jamier@zenitydemo.on...	Owner
jamiercontoso	jamiercontoso@outlook....	Can use + share

Cancel

Save

enterprisecustomers customercareinsights.database.wi...

SQL Server

...

2 wk ago

Connected

Power Apps

Search

Environment
Zenity Demo (default)

Home

Create

Learn

Apps

Tables

Flows

Solutions

Connections

More

Power Platform

Ask a virtual agent

Share jamiereddingcustomerdata.file.core.windows.net

Enter names, email addresses, user groups, service principal names, or service principal app id

Shared with

Name	Email	Permission ?
Shared with org		Can use
Jamie Reding	jam	
jamiercontoso	jam	se + share

Save

enterprisecustomers customerc
SQL Server

connected



Power Apps

☰

Home

Create

Learn

Apps

Tables

Flows

Solutions

Connections

More

Power Platform

As a virtual agent

Search

Environment
Zenity Demo (default)

🔔

⚙️

?

👤

+ New connection

✎ Edit

🔗 Share

🗑 Delete

ℹ Details

Connections in Zenity Demo (default)

✎ Canvas

	Name	Modified	Status
	https://enterpriseip.blob.core.windows.net/patentarchive Azure Blob Storage	⋮ 19 min ago	Connected
	jamiereddingcustomerdata.file.core.windows.net Azure File Storage	⋮ 18 min ago	Connected
	Azure Queues Azure Queues	⋮	Connected
	jamiereddingcustomerdata.table.core.windows.net/cust... Azure Table Storage	⋮	Connected
	enterprisefinancial financialreports.database.windows.n... SQL Server	⋮ 28 min ago	Connected
	enterprisecustomers customercareinsights.database.wi... SQL Server	⋮ 2 wk ago	Connected

✎ Edit

🔗 Share

🗑 Delete

ℹ Details




Edit Share Delete

Connections > jamiereddingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Connector name



Description

Microsoft Azure Storage provides a massively scalable, durable, and highly available storage for data on the cloud, and serves as the data storage solution for modern applications. Connect to File Storage to perform various operations such as create, update, get and delete on files in your Azure Storage account.

Premium

Status

Connected

Owner

Jamie Reding

Created

7/6/2023, 2:30:34 PM

Modified

7/27/2023, 11:48:49 PM



Power Apps

Search

Environment
Zenity Demo (default)

Home

Create

Learn

Apps

Tables

Flows

Solutions

Connections

More

Power Platform

Edit

Share

Delete

Connections > jamiereddingcustomerdata.file.core.windows.net

Details

Apps using this connection

Flows using this connection

Connector name

Azure File Storage

Description

Microsoft Azure Storage provides a massively scalable, durable, and highly available storage for data on the cloud, and serves as the data storage solution for modern applications. Connect to File Storage to perform various operations such as create, update, get and delete on files in your Azure Storage account.

Premium

Status

Connected

Owner

Jamie Reding

Created

7/6/2023, 2:30:34 PM

Modified


7/27/2023, 11:48:49 PM

Edit Share Delete

Connections > jamiereddingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Connector name



Description

Microsoft Azure Storage provides a massively scalable, durable, and highly available storage for data on the cloud, and serves as the data storage solution for modern applications. Connect to File Storage to perform various operations such as create, update, get and delete on files in your Azure Storage account.

Premium

Status

Connected

Owner

Jamie Reding

Created

7/6/2023, 2:30:34 PM

Modified

7/27/2023, 11:48:49 PM



Jamie Reding

Customer Service Representative
Sales Operations



Offline • Free all day

9:44 AM - Same time zone as you

Contact

jamier@zenitydemo.onmicrosoft.com

Reports to >



William Contoso
Chief Operations Officer

Show organization



**Business users
are building their
own apps w/ low-
code/no-code +
GenAI**



Is this actually being used?




*Credential
Sharing as a
Service: The Dark
Side of No Code*

Michael Bargury
RSAC 2023

~8M active Power devs today!

More MSFT low-code devs than .NET devs, today!



Sources: Microsoft Build 2018, Ignite 2019, Build 2020, Protocol 2022

*Credential
Sharing as a
Service: The Dark
Side of No Code*

Michael Bargury
RSAC 2023

Exploit




Edit Share Delete

Connections > jamiereddingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Connector name



Description

Microsoft Azure Storage provides a massively scalable, durable, and highly available storage for data on the cloud, and serves as the data storage solution for modern applications. Connect to File Storage to perform various operations such as create, update, get and delete on files in your Azure Storage account.

Premium

Status

Connected

Owner

Jamie Reding

Created

7/6/2023, 2:30:34 PM

Modified

7/27/2023, 11:48:49 PM



Power Apps

Search

Environment
Zenity Demo (default)

Home

Create

Learn

Apps

Tables

Flows

Solutions

Connections

More

Power Platform

Ask a virtual agent

Edit

Share

Delete

Search

Connections > jamiereddingcustomerdata.file.core.windows.net

Details

Apps using this connection

Flows using this connection

Name

Customer Insights Azure

- 
-  Home
-  Create
-  Learn
-  Apps
-  Tables
-  Flows
-  Solutions
-  **Connections** 
-  More
-  Power Platform

 Edit  Share  Delete

 Search

Connections > jamiereddingcustomerdata.file.core.windows.net

Details Apps using this connection Flows using this connection

Name



Customer Insights Azure



Power Apps

Search

Environment
Zenity Demo (default)

Home

Create

Learn

Apps

Tables

Flows

Solutions

More

Power Platform

Ask a virtual agent

Edit

Play

Share

Export package

Add to Teams

Monitor

Analytics (preview)

Settings

Wrap

Delete

Apps > Customer Insights Azure

Details

Versions

Connections

Flows

Owner

Jamie Reding

Description

Not provided

Created

7/27/2023, 11:49:44 PM

Modified

7/27/2023, 11:49:44 PM

Web link

https://apps.powerapps.com/play/e/default-fc993b0f-345b-4d01-9f67-9ac4a140dd43/a/9bfb0c8d-ee13-43a2-9adb-062c504e006b?tenantId=fc993b0f-345b-4d01-9f67-9ac4a140dd43

Mobile QR code

You need a Power Apps plan

You don't have the correct plan to access this app. Ask your admin for one, or ask the admin at the organization in which you're a guest.

[More](#)

OK



You need a Power Apps plan

You don't have the correct plan to access this app. Ask your admin for one, or ask the admin at the organization in which you're a guest.

Less

You're seeing this page because you don't have a license that allows you to use the capabilities used by the app. You can start a trial for a premium license or ask your admin for a Power Apps license.
Your plans: None
App license designation: Premium
Per app plans allocated in environment: No
App configured to consume per app plans: Yes
App is running: Standalone
Type of environment: Full
Premium features used by the app: premium connectors
Session ID: a40f9795-d274-4bab-8441-facd5ddd249c

OK



You need a Power Apps plan

You don't have the correct plan to access this app. Ask your admin for one, or ask the admin at the organization in which you're a guest.

Less

You're seeing this page because you don't have a license that allows you to use the capabilities used by the app. You can start a trial for a premium license or ask your admin for a Power Apps license.

Your plans: None

App license designation: Premium

Per app plans allocated in environment: No

App configured to consume per app plans: Yes

App is running: Standalone

Type of environment: Full

Premium features used by the app: premium connectors

Session ID: a40f9795-d274-4bab-8441-facd5ddd249c

OK



Announcing new conversational AI features in Power Apps, including generative AI bots for your apps

Power Apps Developer Plan

Build and test Power Apps for free

Get started free

Existing user? Add a dev environment



Free for development and testing

Create apps and flows without writing code with full-featured Power Apps and Power Automate development tools. Easily share and collaborate with others.



Developer-friendly

Connect to data sources, including Azure, Dynamics 365, and custom APIs, with premium connectors. Create additional environments to exercise application lifecycle management and CI/CD.



Dataverse included

Save time with a fully managed, scalable, Azure-backed data platform, including support for common business app actions. Use out-of-the-box common tables or easily build your own data schema.





You've selected Microsoft Power Apps for Developer

1 Let's get you started

Enter your work or school email address, we'll check if you need to create a new account for Microsoft Power Apps for Developer.

Email

By proceeding you acknowledge that if you use your organization's email, your organization may have rights to access and manage your data and account.

[Learn More](#)

Next

2 Create your account

3 Confirmation details



The Developer Plan makes it easy for anyone to build and test apps with user-friendly low-code tools – for free. Including, ongoing free access to:

- Online learning resources and tutorials
- Microsoft Power Apps
- Microsoft Dataverse
- More than 600 pre-built connectors





You've selected Microsoft Power Apps for Developer

- 1 Let's get you started
- 2 Create your account
- 3 Confirmation details

Thanks for signing up for Microsoft Power Apps for Developer

Your username is **hacker5@pwntoso.onmicrosoft.com**

[Get Started](#)



The Developer Plan makes it easy for anyone to build and test apps with user-friendly low-code tools – for free. Including, ongoing free access to:

- Online learning resources and tutorials
- Microsoft Power Apps
- Microsoft Dataverse
- More than 600 pre-built connectors






Customer Insights



This app isn't opening correctly

It looks like this app isn't compliant with the latest data loss prevention policies.

More




This app isn't opening correctly

It looks like this app isn't compliant with the latest data loss prevention policies.

[Less](#)

It looks like this app isn't compliant with the latest data loss prevention policies.
Policy name: Deny Azure File Storage
Connector: shared_azurefile cannot be used since it is blocked by your company's admin.



This app isn't opening correctly

It looks like this app isn't compliant with the latest data loss prevention policies.

Less

It looks like this app isn't compliant with the latest data loss prevention policies.
Policy name: Deny Azure File Storage
Connector: shared_azurefile cannot be used since it is blocked by your company's admin.



So we were able to bypass the license requirement

But blocked by... DLP?

Filter by title

- Data loss prevention policies
 - Overview
 - Create a DLP policy
 - Manage DLP policies
 - Data loss prevention SDK
 - Basic connector classification
 - Connector action control
 - Connector endpoint filtering (preview)
 - DLP for custom connectors
 - DLP for Power Automate
 - DLP for desktop flows
 - Disable new connectors
 - View policies and policy scope
 - Effect of multiple policies
 - Impact on apps and flows
 - Exempt apps and flows

Learn / Power Platform /

⊕ ✎ ⋮

Data loss prevention policies

Article • 07/12/2023 • 7 contributors

Feedback

Your organization's data is likely one of the most important assets you're responsible for safeguarding as an administrator. The ability to build apps and automation to use that data is a large part of your company's success. You can use Power Apps and Power Automate for rapid build and rollout of these high-value apps so that users can measure and act on the data in real time. Apps and automation are becoming increasingly connected across multiple data sources and multiple services. Some of these might be external, third-party services and might even include some social networks. Users generally have good intentions, but they can easily overlook the potential for exposure from data leakage to services and audiences that shouldn't have access to the data.

You can create data loss prevention (DLP) policies that can act as guardrails to help prevent users from unintentionally exposing organizational data. DLP policies can be scoped at the environment level or tenant level, offering flexibility to craft sensible policies that strike the right balance between protection and productivity. For tenant-level policies you can define the scope to be all environments, selected environments, or all environments except ones you specifically exclude. Environment-level policies can be defined for one environment at a time

Additional resources

Documentation

Connector classification - Power Platform

About ways to categorize connectors within a DLP policy.

Create a data loss prevention (DLP) policy - Power Platform

In this topic, you learn how to create a data loss prevention (DLP) policy in Power Apps


Impact of DLP policies on apps and flows - Power Platform

About the impact of DLP policies on apps and flows.

Show 5 more

- ≡
-  Home
-  Environments
-  Analytics ▾
-  Billing (Preview) ▾
-  Settings
-  Resources ▾
-  Help + support
-  Data integration
-  Data (preview)
-  Policies ▴

DLP Policies > New Policy



Name your policy

Start by giving your new policy a name. You can change this later.

Power Platform
Conference 2023
[Register now](#)



- Home
- Environments
- Analytics
- Billing (Preview)
- Settings
- Resources
- Help + support
- Data integration
- Data (preview)
- Policies

DLP Policies > New Policy

- Policy name
- Prebuilt connectors
- Custom connectors
- Scope
- Review

Set default group

Assign connectors ⓘ

Business (0) Non-business (1056) | Default Blocked (0)

Search connectors

Connectors for non-sensitive data. Connectors in this group can't share data with connectors in other groups. Unassigned connectors will show up here by default.

	Name		Blockable	Endpoint config
	SharePoint		No	No
	OneDrive for Business		No	No
	Dynamics 365 (deprecated)		Yes	No

Back

Next

Cancel

Power Platform Conference 2023
Register now



- Home
- Environments
- Analytics
- Billing (Preview)
- Settings
- Resources
- Help + support
- Data integration
- Data (preview)
- Policies

DLP Policies > New Policy

- Policy name
- Prebuilt connectors
- Custom connectors
- Scope
- Review

Move to Business Block Configure connector Set default group

One or more of the selected connectors can't be blocked.

Assign connectors

Business (0) Non-business (1056) | Default Blocked (0) Search connectors

Connectors for non-sensitive data. Connectors in this group can't share data with connectors in other groups. Unassigned connectors will show up here by default.

	Name	Blockable	Endpoint config
☒	SharePoint	No	No
	OneDrive for Business	No	No

Power Platform
Conference 2023
Register now



Home

Environments

Anal

Billing

Settings

Resources

Help

Data

Data

Policies

DLP Policies > New Policy

Policy name

zenity

Microsoft Power Platform DLP Bypass Uncovered

Finding #1 - The problem with enforcing DLP policies for pre-existing resources

Read Blog

Yuval Adler
Customer Success Director

Microsoft Power Platform DLP Bypass Uncovered-Finding #1

Read more >

Move to Business

Block

Configure connector

Set default group

One or more of the selected connectors can't be blocked.

Assign connectors

Business (0)

Non-business (1056) | Default

Blocked (0)

Search connectors

Connectors for non-sensitive data. Connectors in this group can't share data with connectors in other groups. Unassigned connectors will show up here by default.

	Name	Blockable	Endpoint config
☒	SharePoint	No	No
	OneDrive for Business	No	N

<https://www.zenity.io/microsoft-power-platform-dlp-bypass-uncovered-finding-5-parent-and-child-flow-execution/>

Power Platform admin center

Home

Environments

Anal

Billin

Setti

Reso

Help

Data

Data

Polio

DLP Policies > New Policy

Policy name

Move to Business

Block

Configure connector

Set default group

Microsoft Power Platform DLP Bypass Uncovered

Finding #1 - The problem with enforcing DLP policies for pre-existing resources

Read Blog

Microsoft Power Platform DLP Bypass Uncovered

Finding #2 - HTTP calls

Yuval Adler
Customer Success Director

Read Blog

Microsoft Power Platform DLP Bypass Uncovered

Finding #1

Read more >

Microsoft Power Platform DLP Bypass Uncovered

Finding #2 - HTTP calls

Read more >

Blocked connectors can't be blocked.

Business (1056) | Default Blocked (0)

Search connectors

SharePoint

No

No

OneDrive for Business

No

No

<https://www.zenity.io/microsoft-power-platform-dlp-bypass-uncovered-finding-5-parent-and-child-flow-execution/>